

IBM Lotus Domino 8.5/8.5.1

Was ist neu für den Administrator ?



ABData, Andy Brunner
Kappelstrasse 43
CH-8002 Zürich
Andy.Brunner@ABData.CH

Mitglied von NotesNet.CH

ABData

- Einzelfirma für «IT Consulting & Engineering»
- Technische Beratungen und Reviews (Netzwerke, Security, Domino, Linux, Java)
- Schulungen, Workshops und Know-how-Transfer mit Fokus auf Administratoren
- «YellowBleeder» seit Notes 4
- IBM Business Partner, Mitglied im Lotus Design Partner Program, Gründungsmitglied von NotesNet.CH
- Webseite <http://ABData.CH>

NotesNet.CH

- Zusammenschluss von unabhängigen IBM Lotus Notes und Domino Experten (Business Partnern)
- «Die Macher», Flexibilität von Kleinunternehmern, Vorteile einer Kooperation (gebündeltes Know-How, grosses Portfolio, Stellvertretungen)
- Momentan vier Mitglieder (Andy Brunner, Andrew Magerman, Reto Petermann, Bodo Wetzel)
- Europäisches Networking mit NotesNet.DK, London Developer Co-op
- Webseite <http://NotesNet.CH>

Domino 8.5/8.5.1

- Version 8.5 verfügbar seit 01/2009
- Version 8.5.1 verfügbar seit 12.10.2009
- Fokus auf Server Performance und Administration (8.5)
- Fokus auf Server Erweiterungen und Client Performance (8.5.1)
- Harddisk Platz (Kompressionen und Attachment Storage)
- I/O Rate und I/O Bandbreite
- CPU Optimierungen

Domino 8.5/8.5.1 Plattformen

- MS Windows Server 2003/2008 (32/64-bit)
- Novell SUSE SLES 10 (32/64-bit)
- Red Hat RHEL 5.0/5.1 (32/64-bit)
- Sun Solaris 10 (64-bit Kernel)
- IBM AIX 5.3/6.1 (64-bit Kernel)
- IBM zLinux (64-bit)
- IBM i 5.4/6.1 (128-bit)

Notes 8.5/8.5.1 Plattformen

- Windows (Notes Client, Designer, Administrator)
 - XP
 - Vista
 - 7 (läuft gemäss ersten Erfahrungen, Support geplant in 8.5.2)
- Linux (Notes Client)
 - SUSE SLED 10
 - Red Hat RHEL 5.2
 - Ubuntu 8.04
- Mac (Notes Client)
 - OS X 10.5.5+ (10.6.x: Icon Bug, Fix geplant in 10.6.2)

Komprimierung: LZ1 Attachments

- Seit Domino 6.5
- Komprimiert die Attachments mit Lempel-Zev Class 1 Algorithmus (statt Huffman Algorithmus)
- Ersparnis 15% - 30% (der Attachments)
- Bug: Java Applet Kompression, siehe Knowledgebase #1370344
 - Korrigiert in 8.5.1
 - vor 8.5.1 Notes.Ini: Debug_Enable_LZ1_Host_Types=0
- Load Compact -c -ZU Pfad\Datenbank

Komprimierung: Design

- Seit Domino 8.0
- Komprimiert die Design Elemente
- Ersparnis 30% - 50% (der Design Dokumente)
- Voraussetzung ODS 48+
 - Notes.Ini: Create_R8_Databases=1 / Create_R85_Databases=1
- Load Compact -C -n Pfad\Datenbank

Komprimierung: Data

- Seit Domino 8.0.1
- Komprimiert die RichText Felder (Non-Summary Fields)
- Ersparnis 40% - 60% (der Dokument Richtext Daten)
- Voraussetzung ODS 48+
 - Notes.Ini: Create_R8_Databases=1 / Create_R85_Databases=1
- Load Compact -C -v Pfad\Datenbank

Domino Attachment and Object Service

- Seit Domino 8.5
- Kein Shared-Mail (!)
- Reine Domino Serverfunktion
- Auslagerung der Anhänge (Keine Redundanzen mehr)
- Anhänge werden komprimiert, mit Server.ID verschlüsselt und als .NLO Dateien in Verzeichnissen gespeichert
- Auch für Mail.Box
- Entlastung der Serverprozesse (wie z.B. Compact, Update)
- Reduzierte Backupzeiten (kleinere NSF's, statische Attachments)
- Ersparnis 35% - 70% der NSF Daten
- Load Compact -c -daos on Pfad\Datenbank

DAOS Voraussetzungen

- Domino 8.5+
- Transaction Log muss aktiv sein
- DAOS Konfiguration (Server Dokument)
- Datenbanken auf ODS 51+
 - Notes.Ini: Create_R85_Databases=1

DAOS Konfiguration: Server Dokument

Server: Server1/ABData/CH Server1.ABData.CH

Basics Security Ports... Server Tasks... Internet Protocols... MTAs... Miscellaneous Transactional Logging Shared Mail DAOS

DAOS Settings

Store file attachments in DAOS:	<input checked="" type="checkbox"/> Enabled ▾
Minimum size of object before Domino will store in DAOS:	<input type="text" value="64000"/> bytes
DAOS base path:	<input type="text" value="F:\DAOS"/>
Defer object deletion for:	<input type="text" value="30"/> days

DAOS Estimator

- Zeigt die Ersparnis für verschiedene definierte Attachmentgrößen
- Command-Line Tool (z.B. daosest.exe für Windows 32/64)
- Aktuelle Version 1.5 vom 03.11.2009 (alle Plattformen)
- Downloads unter
<http://www-01.ibm.com/support/docview.wss?rs=463&uid=swg24021920>
- Ausführen im Programm Verzeichnis

DAOS Estimator Beispiel

Database Name	Orig NSF Size	New NSF Size	Num Files	Dup Files	DAOS Files	Compr Size	Space Savings	DAOS Ob Size
X\XXXXXXX.nsf	1.8 GB	277.4 MB	4997	1395	3602	1.5 GB	215.8 MB	1.3 GB

Total DB's analyzed: 1
Total DB's skipped due to errors: 0
Total Size of NSF's Examined: 1.8 GB
Total Attachments found: 4997
Total Duplicate Attachments found: 1395
Estimated Size of DAOSified NSF's: 277.4 MB
Estimate Size of DAOS dir: 1.3 GB
Total Disk Savings: 215.8 MB
Compression Statistics:
None: 3442
Huffman: 1472
LZ1: 83
Huffman on LZ1 servers: 0

0.0 KB will result in	4997 .nlo files using	1.3 GB
4.0 KB will result in	3494 .nlo files using	1.3 GB
8.0 KB will result in	3242 .nlo files using	1.3 GB
16.0 KB will result in	2913 .nlo files using	1.3 GB
32.0 KB will result in	2456 .nlo files using	1.3 GB
64.0 KB will result in	1907 .nlo files using	1.3 GB
1.0 MB will result in	447 .nlo files using	936.6 MB
5.0 MB will result in	44 .nlo files using	144.3 MB
20.0 MB will result in	0 .nlo files using	0.0 KB
100.0 MB will result in	0 .nlo files using	0.0 KB

Maximale Komprimierung & DAOS

- Konvertierung der Datenbank auf das neue ODS 51 Format
- Aktivierung der LZ1 Komprimierung
- Aktivierung der Design Komprimierung
- Aktivierung der Daten Komprimierung
- Aktivierung des DAOS
- Load Compact -c -ZU -n -v -daos on Pfad\Datenbank
- Nicht vergessen: Aktivierung dieser Optionen in den Templates
- Ersparnis 40% - 55% (Total Disk Space)

Datenbank Eigenschaften ODS 51

Database

Unread Mark Options

Don't maintain unread marks

Replicate unread marks:

Never Clustered servers only All servers

Advanced Options

Optimize document table map

Don't overwrite free space

Maintain LastAccessed property

Disable transaction logging

Don't support specialized response hierarchy

Use LZ1 compression for attachments

Use Domino Attachment and Object Service

Don't allow headline monitoring

Allow more fields in database

Support Response Thread History

Don't allow simple search

Compress database design

Compress document data

Disable automatic updating of views

Disable export of view data

Allow soft deletions

Permanently delete documents after hours

Limit entries in \$UpdatedBy fields

Limit entries in \$Revisions fields

Neues Transaction Log Format

- Optimiertes Transaktions-Protokoll
- Für Harddisk mit Blockgrößen >512 Bytes
- Braucht weniger CPU Zyklen (Ersparnis 30% - 40%)
- Notes.Ini: Create_R85_Log=1

ID Vault

- Seit Domino 8.5
- Vollständiges Management der ID Dateien
- Gesteuert durch Security Policy
- Repository aller IDs (Harvesting ab Notes 8.5+)
- Password Recovery (Optional durch User über Web)
- Synchronisation bei mehreren ID Dateien
- Einige offenen Bugs im 8.5.1 korrigiert
- Wird zunehmend von Domino Funktionen verwendet (z.B. AdminP, Traveler)

ID Vault Konfiguration: Security Policy


Security Settings : Security Settings for /ABData/CH

Basics | Password Management | Execution Control List | Keys and Certificates | Signed Plug-ins | Portal Server | **ID Vault** | Proxies | Comments | Administration

ID Vault Options:		How to apply this setting:	Inherit from parent policy:	Enforce in child policies:
Assigned vault:	/ABDataVault	<input type="checkbox"/> Don't set value	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Forgotten password help text:	Falls Sie das Kennwort vergessen haben, wenden Sie sich bitte an Andy Brunner (+41 44 480 00 81). If you have forgotten your password, please contact Andy Brunner (+41 44 480 00 81).	<input type="checkbox"/> Don't set value	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Enforce password change after password has been reset:	Yes	<input type="checkbox"/> Don't set value	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Allow Notes-based programs to use the Notes ID Vault:	No	<input type="checkbox"/> Don't set value	<input type="checkbox"/> Inherit	<input type="checkbox"/> Enforce
Automatic ID Downloads:		How to apply this setting:	Inherit from parent policy:	Enforce in child policies:
Allow automatic ID downloads:	Yes	<input type="checkbox"/> Don't set value	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Allow ID downloads for:	1 days	<input type="checkbox"/> Don't set value	<input type="checkbox"/> Inherit	<input type="checkbox"/> Enforce
	0 hours			
ID download authorization failure message:	<div style="border: 1px solid gray; height: 80px;"></div>			

ID Vault: Administrator Client

Reset User's Password [?] [X]

 Use this tool to reset the user's password.


User name:

Password reset and notification

How to notify: [v]

New password:

Confirm new password:



Domino Configuration Tuner

- Überprüfen der Domino 7.0+ Konfiguration über Datenbank aus Schablone DCT.NTF (mit Administrator 8.5+ ausgeliefert)
- Viele Best Practice Tests implementiert
- Datenbank kann Tests & DB-Design über Web selber aktualisieren

DCT: Beispiel

Lotus Domino Configuration Tuner

DominoConfigurationTuner.nsf is on Server1/ABData/CH (Rule Definitions: 07.10.2009)

Run New Scan View Results Check for Updates Preferences Help

Current Report Change | Delete | Run again
Unnamed report run at 13.10.2009 09:26:50 CEDT

Filtered by Server Change
Show reports for all servers Change

Server1/ABData/CH

- Warning (High)
 - database ODS version should be as high as possible
 - notes.ini DONT_CACHE_MONITOR_FORMULAS=1 will prevent caching of mail rule formulas to reduce memory consumption.
 - notes.ini FTG_USE_SYS_MEMORY reduces memory fragmentation related to full text index searching (post 6.5.4 inclusive)
 - notes.ini FT_FLY_INDEX_OFF=1 will prevent on-the-fly full text index creation thereby reducing disk I/O and CPU consumption
 - notes.ini JournalLimitForwardToDomain eliminates some of the duplicate messages in the mail journaling database.
 - notes.ini JournalLimitForwardToMailAddress limits journaling of messages forwarded to a forwarding address specified in a person document
 - notes.ini JournalLimitForwardToSendCopyTo limits journaling of messages forwarded via a 'send copy to' mail rule.
 - notes.ini LOG_MAILROUTING specifies how much logging detail the mail router sends to the server console and log file
 - notes.ini NSF_BACKUP_MEMORY_CONSTRAINED limits the amount of memory used by backup applications and may prevent a server crash
 - notes.ini PercentAvailSysResources should probably not be manually overwritten
 - notes.ini SERVER_NAME_LOOKUP_NO_UPDATE can prevent unnecessary Domino Directory views updates (post 8.0.1 inclusive)
 - notes.ini Server_Session_Timeout can reduce the duration of a connection
 - notes.ini UPDATE_FULLTEXT_THREAD enables using a separate thread to do full text indexing which can improve server performance.
 - ServerDoc 'Run web agents concurrently' setting enables web agents to run concurrently (instead of serially) which will improve server performance
 - ServerDoc 'Transactional Logging' Enabled/Disabled
- Warning (Low)
 - database property 'Compress database design' can reduce I/O demands
 - database property 'Compress document data' can reduce I/O demands
 - database property 'Don't overwrite free space' can reduce I/O demands
 - notes.ini ADMIN_CLIENT_SKIP_DOMINO reduces Admin Client response time

Status: The 'Server_Session_Timeout' setting in the NOTES.INI section of the configuration document has a current value of '15', which is below the lower threshold of 30.

Server: Server1/ABData/CH running Domino 8.5.1 on Windows/XP 5.1 Intel Pentium

Severity: Warning (High)

Explanation

Specifies the number of minutes of inactivity after which the server automatically terminates network and mobile connections. The minimum recommended setting is 30-45 minutes. A lower setting may negatively impact server performance. The ideal setting depends on factors such as server load and the number of concurrent users on the server.

UI equivalent: None.

Default: No default entry, but in the absence of the setting, Domino terminates a session connection after 240 minutes of inactivity (four hours).

Restarts: Changes to this setting will be automatically detected.

Recommendations

Set Server_Session_Timeout to 30 or 45

Links & References

[Best Practice: Domino community opinion regarding 'Server_Session_Timeout'](#) (Source: Domino Wiki)

Dynamic Group Policy

- Neue explizite Policy Zuweisung
- Person(en) oder Gruppe(n) im Policy Dokument, statt explizite Zuweisung im Personen Dokument

Dynamic Group Policy: Beispiel

The screenshot displays the Group Policy Management console for a policy named "/Mobile Users". The console has a header bar with the policy name and a navigation pane with tabs for "Basics", "Policy Assignment", "Policy Precedence", "Comments", and "Administration". The "Policy Assignment" tab is selected. Below the navigation pane, there is a section titled "Users and Groups" which contains a list of dynamic groups. The list currently shows one entry: "\$NotesNet-Users". A small blue square icon with a downward arrow is located at the bottom right corner of the list area.

xPages

- Neues Design Element für moderne Web 2.0-Anwendungen
- Verwendet JavaServer Faces (JSF) und Dojo Toolkit
- Trennung von Daten und Design, Drag/Drop Controls, HTML Roundtrip
- Domino 8.5.0 unterstützt xPages im Web Browser
- Notes 8.5.1 unterstützt xPages in Notes Client
- Gleiche Technologie für Web Browser und Notes Client
- Entwicklungswerkzeug Domino Designer ist ab 8.5.1 in der Notes Client Lizenz inbegriffen

XPages: Diskussions Datenbank

Welcome Andy Brunner | [My Profile](#) | [Logout](#)

Test1

All Documents

- By Most Recent
- By Author
- By Tag
- My Documents

▼ **Top 1 Authors**

Andy Brunner

▼ **Top 2 Tags**


Domino Notes

All Documents

[New Topic](#)

[Collapse All](#) | [Expand All](#)

Page 1 [Previous](#) | [Next](#)

 **Neuigkeiten im Notes / Domino 8.5.1** [Collapse](#)

Created by [Andy Brunner/ABData/CH](#) | 17.10.2009 14:38

Hier ist ein Link zu allen Neuigkeiten rund um Lotus Notes/Domino 8.5.1 https://infocenters.lotus.com/domino/index.jsp?topic=/com.ibm.notes85.help.doc/fram_what_new_85_r.html

[Reply...](#) | Tags: [Notes](#), [Domino](#)

Show: [5](#) | [10](#) | [25](#) | [50](#) | [100](#) entries [Previous](#) | [Next](#)

Lotus iNotes


- Zugang zu Mail Datenbank über Browser (Port 80 oder 443)
- Frühere Namen: Lotus Webmail und Domino Web Access
- Full und Lite Mode für Internet Explorer und Firefox (seit 8.0.1+)
- Ultralite Mode für iPhone und iPod Touch (seit 8.0.2+)
- iNotes wird ständig erweitert (Full Mode Funktionen in Lite Mode implementiert)

Lotus iNotes: Lite Mode Beispiel



The screenshot displays the Lotus iNotes Lite Mode interface. At the top, the title bar reads "IBM Lotus iNotes." and includes a "Lite" dropdown menu, along with "Vorgaben", "Abmelden", and "Hilfe" buttons. Below the title bar, a tabbed interface shows several open windows: "Mail-Inbox", "Neue Nachri...", "Kontakte-N...", "Kalender-Ei...", and an active window titled "* Neue Nach...".

The main workspace is divided into three vertical panes. The left pane shows the user's profile "Andy Brunner" and "Server1/ABData/CH", followed by a folder tree with "Inbox", "Drafts", "Sent", "Follow Up", "All Documents", "Junk", and "Trash". Below this is a "Folders" section. The central pane is a message composition window with a menu bar containing "Neu", "Senden", "Als Entwurf speichern", and "Zustelloptionen...". It includes checkboxes for "Hohe Priorität" and "Empfangsbestätigung", and input fields for "An:", "Kopie:", "Blindkopie:", and "Betreff:". A rich text editor toolbar is visible below the fields, featuring options for font face (Sans Serif), size (10), and various text formatting tools. The main body of the editor is currently empty. The bottom of this pane shows an "Anhänge" section. The right pane, titled "Tag auf einen Blick", displays the date "Mi, 14.10.2009" and a message: "Keine Kalendereinträge für Mi, 14.10.2009 vorhanden." At the bottom of this pane, a "Heute" button and the date "Mi, 14.10.2009" are visible.

Lotus iNotes: Ultralite Mode



Lotus iNotes: Ultralite Mode




Lotus Traveler 8.5.1

- Zur Zeit nur für Domino Server unter Windows 32/64
- OTA (Over-The-Air) Synchronisation für Windows Mobile, Symbian und iPhone/iPod touch
- Verwendet PDA-native Programme
- Verschlüsselung und Signierung mit Notes ID-File (im Mail-File oder ID Vault)
- Separate Installation (als Server Addin «Traveler»)
- Gesteuert mit Policies (Device Management, Remote Wipe-Out)

Lotus Traveler 8.5/8.5.1

Lotus Notes Traveler 8.5 Port / Firewall diagram



Traveler Konfiguration: Server Dokument

Server: Server1/ABData/CH Server1.ABData.CH

Basics Security Ports... Server Tasks... Internet Protocols... MTAs... Miscellaneous Transactional Logging Shared Mail DAOS Lotus Traveler

Basics

Maximum Memory Size:	512 MB
IPC Socket Ports:	50125 50126

Lotus Traveler Access

Access server:	All users can access this server
Not access server:	
Remote user commands:	Disabled

Log Settings

Logging Level:	Warning
SyncML Logging:	Off
Package Log Filter:	*
Maximum File Size:	16 MB
Maximum Number of Activity Log Files:	5
Fields Logged - Privacy:	Subject; Location; Address; Phone Number

Auto Sync Settings

Monitor Polling Interval:	3 seconds
Port for TCP Connections:	8642
Heartbeat Algorithm:	Indefinite Detection
Heartbeat Initial Interval:	30 seconds
Heartbeat Algorithm Minimum Interval:	30 seconds
Heartbeat Algorithm Maximum Interval:	15 minutes
Heartbeat Retry Interval:	30 minutes
Device Offline Timeout:	24 hours
User Cleanup Timeout:	30 days

Traveler Konfiguration: Traveler Policy

Lotus Traveler Settings : Lotus Notes Traveler

Basics | Preferences | Comments | Administration


Sync | Filter Settings | Device Settings | Security Settings

Mail Filters:		How to apply this setting:	Inherit from parent policy:	Enforce in child policies:
Email Body Truncation:	<input checked="" type="checkbox"/> Enabled 10K	Set value and prevent changes	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Maximum Email Attachment Size Allowed - Administrator	10000 KB	<input type="checkbox"/> Don't set value	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Email Attachments:	<input checked="" type="checkbox"/> Enabled	Set value and prevent changes	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Email Attachment Size:	500 KB	Set value and prevent changes	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Email Date Filter:	<input type="checkbox"/> Enabled 1 Month	Set value and prevent changes	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Email Importance:	<input type="checkbox"/> High Importance Only	Set value and prevent changes	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Other Filters		How to apply this setting:	Inherit from parent policy:	Enforce in child policies:
Calendar Date Filter:				
Past Events:	<input type="checkbox"/> Enabled 6 Months	Set value and prevent changes	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Future Events:	<input type="checkbox"/> Enabled 1 Year	Set value and prevent changes	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
Journal Date Filter:	<input type="checkbox"/> Enabled 6 Months	Set value and prevent changes	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce
ToDo Status:	<input type="checkbox"/> Incomplete Status Only	Set value and prevent changes	<input type="checkbox"/> Inherit	<input checked="" type="checkbox"/> Enforce

Traveler: Windows/Symbian

- Unterstützung für Windows Mobile (5.0, 6.0, 6.1, 6.5), Symbian Nokia S60 (3rd und 5th Edition) mit PDA-Middleware Programm
- Windows PDA Programm benötigt etwa 0.6 MB RAM (CAB Datei ist 3.5 MB)
- Synchronisation von E-Mail, Kalender, Kontakte (im Mail-File), Aufgaben und Notizen (im Mail-File).
- Transport Verschlüsselung mit SSL oder VPN (mit Lotus Mobile Connect)
- Installation über <http://IhrServer/traveler/index.html>
- Client Installation (10 Sprachen) über Browser, Bluetooth, ActiveSync, Infrarot, Storage-Card oder E-Mail Attachment

Traveler: Windows/Symbian



The screenshot shows the Lotus Notes Traveler User Home Page. At the top, there is a blue header bar with the 'Lotus. Traveler' logo on the left and the 'IBM.' logo on the right. Below the header, the text 'Lotus Notes Traveler User Home Page' is displayed in bold. Underneath, there is a link for 'Home Page Login'. The next section is 'Lotus Notes Traveler Client Download', followed by a list of links for various mobile devices: 'Windows Mobile 5.0 Pocket PC', 'Windows Mobile 5.0 Smart Phone', 'Windows Mobile 6.0/6.1 Pocket PC', 'Windows Mobile 6.0/6.1 Smart Phone', 'Nokia Series 60 3rd Edition', and 'Nokia Series 60 5th Edition'.

Traveler: iPhone/iPod touch

- Unterstützt EAS (Exchange ActiveSync Protocol) für iPhone und iPod touch OS 3.0+
- Noch kein generelle Unterstützung für andere EAS Clients
- Synchronisation von E-Mail, Kalender, Kontakte (im Mail-File)
- Keine Aufgaben und Notizen (Fehlt im Apple OS 3.0+)
- Für PDA sieht Domino wie Exchange aus (keine PDA Software)
- Konfiguration über <http://IhrServer/servlet/traveler>

Traveler: iPhone/iPod touch



Traveler: iPhone/iPod touch



Traveler: iPhone/iPod touch



A Propos Domino ...

- Seit 8.0.2 ist der Domino Server Code auch als 64 Bit Version verfügbar
- Domino 8.5.1 unterstützt SPENGO (Microsoft Web-Authentifikations-Standard)
- Die Domino 8.5 Mail Router Task wurde optimiert
- Die Domino 8.5 Web Task unterstützt gzip (GNU Zip)
- Viel mehr Policies unter Domino 8.5 (z.B. Mail, iNotes, Traveler)
- Die Admin-Task ist schneller bei Name-Changes (ODS 51)
- Roaming kann jetzt auch für (Windows-) Shares definiert werden
- Tivoli Directory Integrator 7.0 ist für Domino 8.5.1 Kunden gratis

A Propos Notes ...

- Komprimierungen (LZ1, Design, Data) und neues ODS funktionieren auch auf dem Client
- Die Mail-Signatur ist neu im Mail-File (z.B. Für Roaming, iNotes)

Herzlichen Dank

